


WERKSTEP WORKPLACE MATS

Promotes health and prevents injury thanks to safe, healthy standing.



” This investment really paid off for us! Our employees benefit from an ergonomic workplace that puts health and safety first. This makes everyone more motivated and productive.

WERKSTEP workplace mats – the right choice for standing workstations

Our bodies are not made for walking or standing on hard floors. Constant standing puts pressure on our back, placing a heavy load on our musculoskeletal system. The non-physiological curvature of the spine places stress on the intervertebral discs.


Physical activity inhibits the necessary metabolism between the intervertebral discs and the vertebral bodies. Constant standing also causes the muscles to work statically, which in turn impairs blood circulation in the muscles.

Making healthy standing easy!

The elastic texture and knobby surface of WERKSTEP work mats reduce the stress placed on bones, joints and muscles. Pressure on the sensitive toe and ball sections of the foot is reduced considerably as the mats cushion the weight of the body. This helps keep the feet in motion, imperceptibly stimulating circulation. The WERKSTEP workplace mat promotes blood circulation in the legs.

WERKSTEP workplace mats promote health and prevent injury, helping employees stand continuously without placing undue stress on their bodies.


The WERKSTEP range of products



WERKSTEP Comfort mat: The universal, extremely rugged mat for wet and dry areas.



WERKSTEP Drehfit Comfort mat: The mat for workplaces that require frequent rotating.



WERKSTEP Classic mat: The rugged, economical mat for all dry areas.



WERKSTEP Hydrofit mat: The mat for workplaces exposed to water, oil or chips and shavings.

So many great reasons

The WERKSTEP workplace mat is an ergonomic floor covering that has been researched and tested to respond to the permanent stress of standing workstations.

The basic material is made of polyurethane, a closed cell structure with a durable surface featuring a silky matte finish and visually appealing outer skin. WERKSTEP workplace mats are made using an especially dense basic material that provides a stronger return force for superb durability.

WERKSTEP workplace mats feature:

- High wear resistance
- Good behaviour characteristics even at extremely low temperatures
- Extraordinary ageing resistance
- Long life
- Extreme dimensional stability
- Durability
- Environmental compatibility (free of silicone, CFC, HCFC, PVC, propellant gas and solvents)

Protecting, insulating and easy to care for


WERKSTEP workplace mats protect and insulate floor coverings and ground surfaces. Their attractive design creates a clean, friendly workplace atmosphere. They are easy to handle and clean.

Flexible and individual

The standard dimensions of 60 x 90 cm can be adapted to create custom-tailored solutions for workstations of any size or shape. Our variety of styles leaves nothing to be desired.

Select from:

- A variety of materials
- A range of colours
- Anti-static design
- Anti-slip
- Flame retardant
- Water repellent



5-YEAR WARRANTY ✓

3-YEAR WARRANTY ✓

WERKSTEP WORKPLACE MATS

SUITABLE FOR ALL TYPES OF APPLICATIONS

WERKSTEP Comfort



Use:

- In wet and dry areas

Material: Polyurethane on polyether basis

Properties:

- Colour: anthracite
- Weight: 3 kg, thickness: 14 mm
- Temperature resistance: -35°C to +95°C
- Electrical resistance: $10^6 \Omega$ (on ESD model)
- Flame retardant (fire class: B1 according to DIN 4102/FMVSS 301)

Optional design:

- Anti-static
- Anti-slip
- Colour
- ESD model

Surface: knobbly
Underside: smooth

WERKSTEP Drehfit Comfort



Use:

- In wet and dry areas
- For workplaces that require frequent rotating

Material: Polyurethane on polyether basis

Properties:

- Colour: anthracite
- Weight: 3 kg, thickness: 12 mm
- Temperature resistance: -35°C to +85°C
- Electrical resistance: $10^6 \Omega$ (on ESD model)
- Flame retardant (fire class: B1 according to DIN 4102/FMVSS 301)

Optional design:

- Anti-static
- Anti-slip
- Colour
- ESD model

Surface: flattened, knobbly surface
Underside: smooth

WERKSTEP Duofit Comfort



Use:

- In wet and dry areas

Material: Polyurethane on polyether basis

Properties:

- Colour: anthracite
- Weight: 3 kg, thickness: 14 mm
- Temperature resistance: -35°C to +95°C
- Electrical resistance: $10^6 \Omega$ (on ESD model)
- Flame retardant (fire class: B1 according to DIN 4102/FMVSS 301)

Optional design:

- Anti-static
- Colour
- ESD model

Surface: knobbly
Underside: knobbly surface for maximum standing comfort and anti-slip protection

WERKSTEP Classic



Use:

- Mainly in dry areas

Material: Polyurethane

Properties:

- Colour: anthracite
- Weight: 3 kg, thickness: 14 mm
- Temperature resistance: -40°C to +80°C
- Electrical resistance: $10^6 \Omega$ (on ESD model)

Optional design:

- Anti-static
- Anti-slip
- Colour
- ESD model

Surface: knobbly
Underside: smooth

WERKSTEP Drehfit Classic



Use:

- Mainly in dry areas
- For workplaces that require frequent rotating

Material: Polyurethane

Properties:

- Colour: anthracite
- Weight: 3 kg, thickness: 12 mm
- Temperature resistance: -40°C to +80°C
- Electrical resistance: $10^6 \Omega$ (on ESD model)

Optional design:

- Anti-static
- Anti-slip
- Colour
- ESD model

Surface: flattened, knobbly surface
Underside: smooth

WERKSTEP Duofit Classic



Use:

- Mainly in dry areas

Material: Polyurethane

Properties:

- Colour: anthracite
- Weight: 3 kg, thickness: 14 mm
- Temperature resistance: -40°C to +80°C
- Electrical resistance: $10^6 \Omega$ (on ESD model)

Optional design:

- Anti-static
- Colour
- ESD model

Surface: knobbly
Underside: knobbly surface for maximum standing comfort and anti-slip protection

WERKSTEP WORKPLACE MATS FOR WET ROOM AREAS

5 to 8-YEAR WARRANTY
depending on model

WERKSTEP Hydrofit NBR



Use:

- For workplaces exposed to water, oil or chips and shavings


Material: Nitrile, NBR

- Properties:**
- Colour: black
 - Weight: 5.7 kg, thickness: 14.5 mm
 - Temperature resistance: up to +100 °C for short periods
 - Electrical resistance: 10⁹ Ω (on ESD model)
 - Resistant against common industrial acids, bases, oils, hydrolysis resistant
 - Suitable for welding stations

- Optional design:**
- Anti-static
 - Flame retardant (fire class: B1 according to DIN 4102/FMVSS 302) – 5-year warranty
 - Perforated design to drain off liquids
 - ESD model – 5-year warranty

Surface: knobbly
Underside: Textured underside for better adhesion, water-repellent effect

WERKSTEP Food-Grade Mat



Use:

- For dry and wet food preparation areas, OP, lab or hygiene areas

Material: Nitrile, NBR

- Properties:**
- Colour: black or tele grey
 - Weight: 6.7 kg (black), 5.8 kg (tele grey), thickness: 14.5 mm
 - Temperature resistance: +96 °C for 8 hours

Surface: knobbly
Underside: Textured underside for better adhesion, water-repellent effect

WERKSTEP Food-Grade Mat



PUBLISHER INFORMATION & IMAGE CREDITS

WERKSITZ GmbH W.Milewski

Telefunkenstraße 9
D-97475 Zeil am Main
Phone +49 (0) 9524 8345-0

info@werksitz.de
www.werksitz.de

Headquarters: Zeil am Main, Germany
Managing Directors: Wolfgang & Geneviva Milewski
Bamberg District Court Commercial Register
Page HRB 579
VAT ID no.: DE 811 2085 14
Responsible Chamber of Commerce:
IHK-Würzburg-Schweinfurt

© WERKSITZ GMBH, Zeil am Main

IMAGES

Peter Weigelt Photography

Lightning in meadow ■ © GIS – Fotolia.com
Marmo e Alpi Apuane ■ © gdfotostudiolab – Fotolia.com
blood bank laboratory ■ © angellodeco – Fotolia.com
Waldweg im Sommer ■ © Thomas Otto – Fotolia.com
Close up of laboratory treatment ■ © Kesu – Fotolia.com
Zwei Hände, die sich halten ■ © Nelos – Fotolia.com
Modern Warehouse ■ © malajscy – Fotolia.com
couple ■ © muro – Fotolia.com
businessman sitting on beach ■ © peshkova – Fotolia.com
Regentropfen auf Autolack ■ © Konrad Fotodesign – Fotolia.com
Workers In Warehouse Preparing Goods For Dispatch ■ © Monkey Business – Fotolia.com
Orme sulla spiaggia ■ © Dario Aioldi – Fotolia.com
Construction worker operating a machine ■ © ikonoklast_hh – Fotolia.com
Assemblage ■ © kalou1927 – Fotolia.com
Zahntechnikerin im Labor ■ © Robert Kneschke – Fotolia.com
Male And Female Scientists Using Microscopes In Laboratory ■ © Monkey Business – Fotolia.com
Frau an Drehbank ■ © ehrenberg-bilder – Fotolia.com
Female Chef In Restaurant Kitchen ■ © Tyler Olson – Fotolia.com
Man sitting at desk in wheelchair ■ © auremar – Fotolia.com
Kfz Mechanikerin in einer Autowerkstatt ■ © ikonoklast_hh – Fotolia.com
young smiling engineer taking notes at control room ■ © GVS – Fotolia.com
red carpet, green abstract light background, laboratory woman ■ © shutterstock.com

CONCEPTUAL DESIGN

ADALIS.de

REFERENCES

Some of our customers

ABB	EADS	Max Planck Institut	Tesa
AB Elektronik	Enercon	Melitta	Tchibo
Airbus	Ernstings Family	Michelin	Thyssen Krupp
Alaska Airlines	Finn Comfort	Miele	TRW
Aleo Solar	Ford	Mitsubishi	
AMC Deutschland	Frankfurt Airport	MTU	Unilever
apetito	Fraunhofer Institut		Universtät Bonn
Arbeiterwohlfahrt			
Audi	Gabor	Nato	
	Galeria Kaufhof	Nestlé	Volkswagen AG
Bahlsen	Gerry Weber	Nokia	
BASF	General Electric (GE)	NUR DIE	Werkstätten für behinderte
Bayer AG	Gilette		Menschen
Berendsen	Goodyear Dunlop	OBI	Whirpool
BMW	Griesson – de Beukelar	Olympus	
Boeing USA			Yves Rocher
Bonn University	Herend	Peugeot	
Bosch Rexroth	Hermès Frankreich	Pluradent	Zwilling
Bundespolizei	Hugo Boss	Polarforschungsinstitut	
Bundeswehr	Hyundai	Postbank	
		Post Con Deutschland	
Caritas Werkstätten	Ideal Standard	PSA PEUGEOT	
CeWe Color			
Christian Dior	Jack Wolfskin	Rewe	
Continental Automotive GmbH		Robert Bosch	
Coppenrath und Wiese	L'Oreal		
	LEAR Automotive Electronics	Schaeffler	
Daimler Chrysler	Leiden University	Siemens VDO, Electrotechnics	
DANONE		SFK Berlin	
DB Fernverkehr AG	Kaufhof	Spanish National Cancer Center	
DB Schenker	Keetronics, India	Star Engineers, India	
Dentallabore	Kraft	Sto AG	
Deutsche Bundesbank			
Disney Land Paris			
Dresden Airport			
Dr. Oetker			

**WERKSTEP
WORKPLACE
MATS**

Promotes health and
prevents injury thanks
to safe, healthy
standing

pages
84-89